



CS20 Portable Speakerphone

A portable speakerphone designed for personal desks or small meeting rooms

- Flexible connectivity with USB-C, USB Dongle and Bluetooth
- Crystal communication with ENC/ANS/AGC enabled
- Compact dimension for ease-of-carry
- Compatible with Apps and UC services of mainstream Softphone platforms*

■ FEATURES ■



Flexible Connectivity

USB-C, USB Dongle and Bluetooth supported




16h Talk time
9.4h Music time
25h Standby time

Elegant ID

Modern ID with fabric speaker cover and ease-of-carry dimension

Trio-mic with Speaker

3W speaker for small/huddle rooms
Trio-omnidirectional mic for 1.5m voice pickup range, ENC, ANS and AGC enabled



Instant Access touch buttons

Pick up/Hang up* | Play/Pause | Volume Up/Down* | Mute* | Bluetooth Softphone/UC commands supported*

* Depends on the support of Softphone services

■ ■ SPECIFICATIONS ■ ■

Microphone

- Type: 3 omnidirectional analog microphones
- Voice pickup range: 1.5m
- Sensitivity: -38dBFS/Pa
- Frequency range: 20Hz-8KHz
- SNR: >65dB

Speaker

- Speaker size/Rated power: ϕ 40mm/4 Ω 3W
- Max. output power: 5W
- Root Mean Square (RMS): 3W
- Sensitivity: 87dB \pm 3dB
- Frequency range: 100Hz-20KHz
- Music mode bandwidth: 100Hz-20KHz
- Speak mode bandwidth: 100Hz-20KHz

Audio

- Crystal sound experience
- Full-duplex technology
- Environment Noise Cancellation (ENC)
- Adjustive Noise Suppression (ANS)
- Automatic Gain Control (AGC)

Connectivity

- Connect to PC/mobile device:
USB-C, Dongle & Bluetooth
- Bluetooth
 - Version: Bluetooth 5.4
 - Profiles: HSP V1.2, HFP V1.7, A2DP V1.2
 - Operating range: 10m
 - Pairing list: Up to 8 devices
 - Simultaneous connections: 2

Battery

- Battery capacity: 2000mAh
- Charging time/power: 2 hours (5V/1.3A)
- Max. charge current: 1.3A
- Talk time: Up to 16 hours
- Music time: Up to 9.4 hours
- Standby time: Up to 25 hours

Physical Specifications

- 5 touch buttons
- Power: USB/Lithium Battery
- Dimensions
 - Product: 110*110*35mm
 - USB cable length: 1m
 - Gift-box: 145*156*38mm
 - Carton package: 332*215*310mm (20PCS)
- Weight
 - Product: 201g
 - Carton Net weight: 6.3kg
 - Carton Gross weight: 6.8kg
- Temperature and humidity
 - Working temperature: -10°C to +60°C
 - Storage temperature: -20°C to +70°C
 - Working humidity: 10% to 95%RH

Package Contents

- CS20 Portable Speakerphone
- USB Cable
- Carry Bag
- Quick Start Guide
- Safety Information & Declaration

About FANVIL

FANVIL Technology Co., Ltd. (FANVIL) is a leading global provider of A&V-IoT (Audio& Video- IoT) devices with three R&D centers in Beijing, Shenzhen, and Suzhou, China, and three factories in Huizhou and Shangrao, China, and Vietnam. FANVIL has focused on Unified Communication technology innovation for more than 20 years and provides SIP phones and SIP security industrial products in the global market. As the pioneer in applying standardized network communication technology and Audio & Video technologies to build A&V IoT, we are boosting the digital transformation for multiple industries.

About LINKVIL

As the sub-brand of FANVIL, LINKVIL will focus on the research and development of A&V-IoT wireless communication products. Based on Audio & Video -IoT, LINKVIL helps to achieve the full connection of wireless communication systems. LINKVIL builds a wireless communication Eco-system for multi-scenarios to help accelerate digital transformation.

Copyright

Copyright © 2024 FANVIL Technology Co., Ltd.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of FANVIL Technology Co., Ltd.

More Information

The above specifications may be updated in the future without prior notice. All hardware/software/physical features should be based on the final shipped products. For more information, please visit: www.fanvil.com

Compliance



FANVIL Technology Co., Ltd.

Web: www.fanvil.com

Add:10/F Block A, Dualshine Global Science Innovation Center, Honglang North 2nd Road, Bao'an District, Shenzhen, China

Copyright © 2024 Fanvil Technology Co., Ltd.